

## REQUEST FOR QUOTATION

Dear Prospective Quoter:

SUBJECT: Request for a quote for FAC-NEC ATV/UTV with Water Wagon

Procurement Request number: **PR10163762**

US Embassy Djibouti invites you to submit a proposal for vehicle as follows:

NBR	Description	QTY
1	300 Gallon 1 Axle compact water trailer and water tank with full option water sprayer  <a href="https://www.abiattachments.com/product/300-1-axle-compact-water-trailer/">https://www.abiattachments.com/product/300-1-axle-compact-water-trailer/</a>  As per the attached Spec.	1
2	Equivalent tow Diesel engine driven ATV/UTV (with cab. roof) for the trailer  As per the attached spec.	1
3	Universal hitch ball, 6" Long Ball Mount - 2" Hitch Ball, C45038	2

- **Delivery address:**

**IKUN LLC  
2801 Route 130 Unit 1  
North Brunswick, NJ 08902**

- **Duns Number and SAM registration is required.**

- **Technical information with picture of each item should be separated from the Financial Offer**

We will only contact you if your Offer has been selected. The Embassy intends to award a PO to vendor that offers best price, for technically acceptable products. Please provide your best and competitive offer with.

Payment will be made by EFT net 30 days in accordance with the Prompt Payment Act and will be processed after receipt of invoice by Financial Management Office and upon receipt, inspection and acceptance of all items included in the purchase order by US Embassy Djibouti.

Your quotation must be submitted electronically on or before Close of Business, **September 06, 2021** to [kayadse@state.gov](mailto:kayadse@state.gov) and copy to: [djiboutiprocurement@state.gov](mailto:djiboutiprocurement@state.gov)

No quotation will be accepted after this time.

If there are any questions regarding this RFQ write to [kayadse@state.gov](mailto:kayadse@state.gov).

# SPECS

Top Of Page

<b>WW300E</b>	<b>Part #</b>
300 Gallons	<b>Tank Capacity</b>
870 lbs.	<b>Crated Dry Weight</b>
720 lbs.	<b>Dry Unit Weight</b>
3,255 lbs.	<b>Unit Weight With Tank Full</b>
130"	<b>Unit Length</b>
56"	<b>Unit Width</b>
58"	<b>Unit Height</b>
132"	<b>Crated Length</b>
67"	<b>Crated Width</b>
61"	<b>Crated Height</b>
600cc 4WD	<b>Min. ATV / UTV C.C. (Level Terrain)</b>
25 H.P. 4WD	<b>Min. Tractor H.P. (Level Terrain)</b>
All Welded Tube Steel 2" wide x 3" tall OD - 1/8" wall	<b>Frame Construction</b>
12" At Wheels - 8" At Hitch	<b>Ground Clearance</b>
2 (Two)	<b># of Tires</b>
Model: H188ST - Size: ST205/75D14 Diameter: 26.5" - Width 7.87"	<b>Tires</b>
Total Diameter: 14" - Total Width: 5.5"	<b>Rims</b>
5/8" Pin or 2-5/16" Ball Coupler	<b>Hitch Type</b>
Adjustable From 8.5" -17"	<b>Hitch Height</b>
Elliptical & Rotationally Molded	<b>Tank Type</b>
White	<b>Tank Color</b>
Full Drain	<b>Tank Drainage</b>
8" around with vented lid	<b>Tank Top Opening</b>
1 (One)	<b># of Spray Nozzles</b>

	<b>Rear Nozzle Type</b>
Brass - Flat 110 Fan (at 40 psi).	
	<b>Spray Coverage</b>
6' - 20'	
	<b>Motor Brand</b>
Briggs & Stratton	
	<b>Motor Power</b>
5.50 Torque (ft-lbs, gross) and 127cc engine displacement	
	<b>Cylinder Sleeve</b>
Cast Iron	
	<b>Overhead Valve Design</b>
Yes	
	<b>Pump Brand</b>
Banjo	
	<b>Pump Construction</b>
1.5" Polypropylene	
	<b>Priming</b>
Self-Priming	
	<b>Spray Hose</b>
included	
	<b>Quick Fill System</b>
Included	

## ATV/UTV SPECS

---

<b>Min. ATV / UTV C.C. (Level Terrain)</b>	<b>600CC 4WD</b>
<b>Min. Tractor H.P. (Level Terrain)</b>	<b>25 H.P. 4WD</b>
<b>Tow capacity</b>	<b>4000Lb</b>
<b>Ground Clearance</b>	<b>12"</b>
<b>Cab Roof</b>	<b>included</b>
<b>Diesel Engine</b>	<b>yes</b>

